



Office of the Monroe County Surveyor
Trohn Enright-Randolph

Health Services Building
119 West 7th Street
Bloomington, IN 47404
Phone: (812) 349-2570

Dear User,

The following images were obtained in 2017 by the Office of the Monroe County Surveyor from the State Imaging and Microfilm Laboratory at the Indiana State Archives. The field notes and plats for Lawrence County are stored on microfilm Reel 1903 at the Indiana State Archives. Each page provided by the State Imaging and Microfilm Laboratory is approximately 18MB. Our office combined the pages by Township & Range and reduced the resulting pdfs. This process may have caused some degradation in quality. We will provide unreduced images of specific pages if required. Please contact us at 812-349-2570 or at SurveyorsOffice@co.monroe.in.us to request a higher quality image of any specific page.

The pdfs are bookmarked with the original page numbers as assigned by the State Imaging and Microfilm Laboratory.


Be prepared to provide the county name, reel number, and the required page numbers when requesting full sized images.

If you would like a DVD of an entire county, please provide us with one DVD per county along with a self-addressed, stamped envelope.

Trohn Enright-Randolph
Monroe County Surveyor

T 4 N

R 2 W



Township N^o IV North Range N^o II West of the 2nd Meridian.

Surveyed by Arthur Henrie. 1881

Description of the Soil on the interior Sectional lines.



Township N^o IV North Range N^o II West of the 2nd Meridian.

Surveyed by Arthur Henrie. 181

Description of the Soil on the interior Sectional lines.

2nd M JAN

Handers of White R

Part of the lot with 93 m

1	2	3	4	5	6
7	8	9	10	11	12
13	14	15	16	17	18
19	20	21	22	23	24
25	26	27	28	29	30
31	32	33	34	35	36

30 + 34

64

1/2 m

QQM44S

With Bitten under 34835

4000 Set hay mill post
from which a poplar

10 N 53 W 10 M Oak

30 N 10 E 47 lbs

80,00 Set post corner of
section no 34 35

26 327 from which
a Buck 12 S 74 M

13 links Buck 15

N 45 E 29 links

Am very busy
Then said —

R 2 M J H U
 East Between on 24 335
 On Random
 4,000 Set temporary house
 post
 80,40 Intersected or 4 skin
 20th south of on
 corner. Land the
 same

West On true line
 40,20 Set temporary post
 at average distance
 for 1/4 day corner on
 true line from
 where a Buck 20
 or 67 & 19 links
 & a gun 15-8896
 80,40 35 links
 in corner

R 2 M J H U
 North Between on 24 3
 29
 40,00 Set hay mill post
 from which a dog
 on 10 or 3 or 20 ths
 & a Buck 20 or 64
 or 28 links
 45,00 Shing East
 80,00 Set post corner
 on 24.27 22420
 from which a thick
 song 16 or 1 or 54 ths
 Buck 20 or 12 ths
 33 links Land
 the same

R2794

East Between Sur 23826 on corner
40,00 set corner post

80,35 Intersected with line
12 Ms south of corner
land and turns the
corner

West on line
40,172 set corner post
at average between
for corner
from which a
Bench 12883 M
15/80 80 or 34 & 16

80,35 In corner —

R2794 U⁵

North Between Sur 22823
40,00 set hay mill post
from which a bench
at 8823 & 11th
Bench 12873 No 10
M

80,00 set post corner
of Sur 1415 22823
from which a
Bench 20 or 54 &
7 B. 13788 7 links
Even good farming
ing land dirt
Bench Oak &
Pickup under
groove line

R 27 34 v n

Cost Between 14823
on Random

40,00 Set a limothy part

80,00 Intersected v r 45

Line 10 to 10 v r 45
of an corner land

the same

West Between 14823 on
line

40,00 Set limothy part
on new line for 45
an corner part
where a M. Watson

R 10 v r 89 & 42

29,000 Book 12 d 46 & 13
in corner

CORRECTION

R 2 N 94

Coast Between Deer
23 & 24 on corner
40,00 set corner from post

80,35 Intersected V & Shire
12 lbs south of corner
Land and turns the
corner

Post on line
40,17 set corner from
at average Boston
for corner
from where
Post 12 & 83 N
15/20 20 or 34 & 1/2

80,35 In corner

R 2 N 94 W⁵

North Between Deer 22 & 23
40,00 set hay mill post
from which a sug-
ar 8 & 23 & 11 lbs
D. 12 & 73 N 10
lbs

80,00 set post corner
of Deer 14 15 22 & 23

from where
Post 20 W 5 & 6
7 D. 13 7 & 7 links
Over good farm-
ing land firm
Post Oak &
Hay under
grove to Shire

6
R 2734 v

Port Between 14823
on Random

40,00 Set a temporary post

80,00 Intersected vrs
line to the north
of our corner and
the same

West Between 14823 on
line

40,00 Set temporary post
on true line for
our corner from
where M. Watson

10 vrs 842

2900 Book 12 d 46 13
in corner

2 MS 4 VV

North Between 33 & 34
 1230 Spring branch 4th
 4000 Set half mile post
 from Whuka Bush
 6327 W 12 Moak
 20 East 12 Mo
 3000 Set post for survey
 In No 33 34 27.28
 from Whuka Bush
 105740 & 11 Mo Do
 10825 & 31 Mo
 This mile or
 Very hilly
 Bush & Oak
 Timbered land

East

20,00

40,00

79.81

West

39 90

79.81

2 MS 4 VV

9

Between Sur. 27 & 34
 on Random
 Spring branch
 Set line for post
 Intersected by
 line 12 Mo South
 of Survey corner
 the same

Between Sur. 27 & 34
 on true line
 Set line for post
 at average distance
 on true line for
 from corner from
 Whuka Sugar 10
 & 41 & 23 links
 Do. Do. 175 & 11 —
 Survey corner

N 2 M 9 4 or

North Betw under 27 1 28

4000

Set hay mill

hot from chut

a Hickory 12 8 10 2

21 lbs Buck 10

W 42 M 8 lbs

8000

Set port 6 m

a S. W. 27 28 21 1

22 from chut

a M oak 2 ad 44

M 43 lbs gum

15 W 85 8 49 links

Land the same

N 2 M 9 4 or

East

Betw under 27 4

22.00

4000

8 22 on Random

Brook 10 lbs Dr. S.

Set horn pump 8 4 2

hot

8000

Under the vt

Live 12 lbs South

open corner land

the same

West on true line

4000

Go a dug out tree

12 lbs Dr. S.

1/4 lb corner

2000

In corner

B. 2 M 3 4 E

North
4000

Between 21 & 22

Set half mile
post from which
a Buck 10 33 M 38

Buck 12 228 M 32

links
Spring 3 22 E41,50
3000Set post corner
open 15:16 21 E29 from which
a Buck 2 8 10 E

38 2 12 18 35 M

14th this mile

over very
high hills and
merry Rock

East

Between 15 & 22

on Random

40,00

Set lamp post from
post

79,13

Intersected N 85 line

81th South of the

corner good farming
land

West On true line

39,56 Set lamp post

at average distance
for 4000 corner from

where a Coplar 39

In 28, Beans 2 88 E

121 links

79,13 in corner

44
North Betwixt 14815
40,00 Set hay mill
northward where a
Sugar 30 44M12
Sugar 10 or 37 213
This post stands the
cliffs of rocks
4222 Set post on the
River Bank
from which an
elm 12 or 42M
3 M. Sycamore
24 or 32 213
Land there

15
Betwixt 14815
Mist 40,00 Set hay mill
northward where a
Sugar 12 or 44 213
Beech 20 or 39M
213
4450 Set post on the
River bank from
which a Sugar
or 54M13 Beech
12 or 72 24M
Land Rich and
Low

R 2 M J 4

North Belvedere N/58/16

23,95 Poplar 30 Ans 5

4000 Set half mile post
from wharfedog
wood 455/1723

Buck 4584987

80,000 Set post 60 Ans
apd N/9,10

15816 from
wharfedog

12864 & 11 Ans

Buck 10 Ans 2

N 10 Ans —

Land the
same

R 2 M 940

North. Between 9 & 10

39, 91

Let hoster
the river bank

from which a

Logor 10 8569

M 10 M 80 4

\$ 3769 -

R 2 M 940

North Between 325

33 -

4000

Let hay milipost

from which a

Oak 12 M 46 M 10 M

~~M 10 M 24~~ M 39 816

links

80,00 Let host corner of

Logor 22, 29 32 833

from which a

10 M 25 6 H 2 links

hoplar 9 8 2 M 12

20
R I N J 4 M

East Between No 334
28 on Random

4000 Set temporary post

8039 Intersected with line
at the corner Lord

West Between No 3342

4019 Set temporary post at

average distance

for the corner

from which

Beach 30 or 22

23 links Do 10-30

848 links —

2039 In corner

21
R I N J 4 M

North Between 28 & 29

4000 Set temporary post

from which Beach 16
or 15 & 45 Mark 3 p 347 M 23

7200 Spring M

8000 Set post corner

of No 20 21 & 22

29 from which

Beach 2 or 3 M 10

Do 10 M 7 3 & 20

links

Port Between in
29928 on Rons

4000 Sit port very far
80,50 East
In the same way.
line at the bottom
Land very hilly

West On the line
40,25 Sit port very
port at a side
But turn on
the line for
1/4 in from from
which a bushy
2233 Mark 11
30 30 387 & 14 links

Port 2. M. J. H. V. R.
North Between in 20821
4000 Sit port very far
from which a bush
12 with 5000 links
only 12282 & 16

2000 Sit port very far
as in 16-17. 20821
from which a
mark 20821 Mark 9
20 15861 Mark 3
links over
Kolen

Land
at the end

R 2 M 9 4 W

Eot Between in 1821
on Random

4000 Set line by post

2000 In line at 30 line

45 marks with a pen

corner as on belly

Land line the same

M on true line 14 21

4000 Set ~~Anthony~~ post

on true line

for corner

from wharfa

Mark 10 S 4 p 822

M Oak 20 S 2 9 p

8000 3 p

in corner

R 2 M 9 4 W

Groth Between in 1817

2700 Brook 10 M 10

3000 Brook 10 M 8, 10

4000 Set line with

post from which

a B Walnut 12

N 28 E 3 M Brook

10 or 1 M 33 M

8000 Set post corner

as on 16 17 88

9 from wharfa

M Oak 20 S 7 M 58

Dogwood 6 p 2 M

5 M and the

same

22 M 94 or
 Port Between Int 48
 9 on Random
 40,000 at timhoy
 79,000 ~~Intersected~~
 53 line at
 section 60 m
 Land the same

22 M 94
 39,30 Port Between 94
 16
 at timhoy
 at average Dist
 for the same
 from which a
 sugar 12 or 8 1/2
 7 Bush 2 23 8 m
 79,000 22
 in common

22 M 94 or
 North Between 958
 40,000 Set half mile
 port from what
 a Bush 10.843 m
 35 Do 8.15 4 m
 34 links
 61,000 Set port on the River
 Bank from which
 a Sugar 8 12 4 5
 2 1/2 bushels
 16 m 20 m
 Land tiller 1 m
 Bush 2 23 8 m
 8 1/2 1/2 m
 8 1/2 1/2 m

R 24 J H C

East

Bridon 10 M

10 x 15

4000

set hay mow

hott from whuka

Buck 10 x 89 M

31 80 9 3 31 8

4

67.50

set port on the

river bank

from whuka

Sugar 10 85 4 87

Buck 12 x 15 M

20 links over

good farming

land

R 24 J H C

North

Bridon 10 M 31 8 32

3200

Bridon 10 M

3400

Moah 24 Ins 2

4000

set hay mow

from whuka

Bridon 30

3 23 8 16 Buck

12 5 4 3 10 10 10

67.80

Buck 20 links

2000

set port on the

of the 10 2 9 30

31 8 32 34 8 1 M

from whuka - Hickory

10 x 77 8 15 Sugar

12 Sp M 32 links

over very heavy

land

Q 2 W J 4 (1)

Cost Between 32 & 29
on Randon4000 Let him pay for
host8095 Intersected & S
line 20 hrs & 80
Lined in corner
Said the same~~4044~~ Between 29 & 32 onLet him pay host
at average dis =Turner on line
line for now corner
from which

Dogwood & on

688 12 hrs & a helper

3095 30 hrs & 343 M 9

Q 2 W J 4 (1)

North Between 29 & 30
1150 Sprung S, M40,00 Let half mile
North from which
a Dogwood & S 3 M
47 Buck 83226
36 links6425 So where a large thing
make its appearance8000 in a sink hole
Let host corner of1920 29 & 30 from
which a sugar 1033 & 37 hrs & 20
N 19 M 8 links

Said the same

No 2 W 9 4

Cost

Belt under 29820

Worth

an Random

4000

Set Lumborg from
port

4000

750

Brook 20th Dr M.

3100

Intersected or 8 line
30th north of an
corner land the
same

Met

on true line

4050

Set Lumborg port
at average Distom
for 1/4 on corner
from which a

Lumborg 2873 P

25 Do 8 V 17 &

28 Links

21,00

See to an

No 2 W 9 4

Belt under 19820

Set bay mill
port from which

a Buck 158408

13 Buck 15842 M

12 Links

8000

Set port corner of
in 17th 19820

from which a

Lugap 285085

Buck 10261 M 16

links this mile

are very high

hills and Rocks

A. 2 M 9 4 W.

Cott. Buhur in 20x17
on Random4000 Set lamp house for
in post89.36 Intersected as
line at the corner
and good under
growth there for
the sameMort. ~~20x17~~
4093 Set post at a way
between for 100corner from White
Buck 20 087 M 5
Sagwood 50A 194 2589
Set corner

R 2 M 9 4 W.

Mort. Betsey in 17 1/2 W
14.50 Brook 15 M40,00 Set haymower post
from White Buck10 N 66 E 7 Sugar
8 22 28 E 1055,50 Brook 15 M West
20,00 Set post corner ofin v. 7.3 17 3 18 from
White Buck 2038 2 M 19 Do Do,
or 82 E 24 LinksThis made over good
forming Buck
Oak & Poplar
Land

No 2 W I 4.00

Cost Between 2000

8800 on Random

40,00 dittem hoy 4400
port

80,00 Intersected or 88

line 20 Mts South

of the corner Lane

the same

West On true line 2000

40,00 dittem hoy port

on true line at

average distance

for 1/4 in corner

from wharf

oak 12 or 498 1/2

\$0 879 00 1/2 link

No 2 W I 4

North Between 788

40,00 dittem hoy

port from wharf

oak 12 or 44

\$15 908 838 M

8 links

48,00 dittem hoy on the

River bank

from wharf

Sugar 12 348 60

Lynn 15 345 M

37 links land

the same

R 2 M 3 4 V

Met

Between Aug 7 & 18

9,00

Large Spring South

37,75
40,00

Buck 20 In

Set half mile

Port from Ashwa

Buck 12 M 79 & 32

Hackberry 12 M

M 13 links

50,33

Set port on the

River bank from

whaka Sugar 12

84 M 7 Do Do

M 48 & 22 links

Over good land

Inn. Buck

Ash Sugar &

Hackberry

R 2 M 4 V

Met

Between Aug 18 & 19

33,75

Poplar 29 In

40,00

Set half mile port

from whaka Buck

20 889 & 23 Do 10

34.3 M 5 links

43,00

Set port on the

River bank from

whaka Elm 40

80 55 & 7 M

Lynn 6 853 M

Yhs land the

same

R 2 M 9 A 1 V

Most Between in 19830

22,25 Brook 20 lbs N, M

40,00 Set hay mill
port from which

a Sugar tree 15

826 & 23 Hickory

12 N 21 M 23 N

49,00 Set port on the
river bank from
which a Sugar

N 71 E 32 S

road & 887 E 28

links Land

very hilly
limb. The same

R 2 M 9 A 1 V

Most Between in 30831

6,25 Shingworth

40,00 Set hay mill

port from

which a Dogwood

60 N 78 M 20

Proplor 20854 M

14 lbs

80,17

Set port on the N
boundary 1720

open corner from

which a Buck 12

N 36 E 13 lbs

8020862 M 32

links

1835-36

8344 3 29 20

20 5 488

00 6 2868

27 & 28

827 4 23

Jahresg

22 0 11 56

22 5, 45 58

22 L 3928

055 898

22 h 27

31415 1 00 00 30 lbs

22 6 4/018

05 11 45,88

00 01 1/2 1/2

20	77	3088
0.5	16	3338
00	4	3730
0.5	16	08

to the corner of the
road 14 16

0.9	6	2030
0.5	14	3620
0.5	6	3540
00	64	7500
0.5	6	3588
0.5	14	3748
0.0	20	3658

to the corner of the
road 14 16

3322	13	50
3348	26	80
3728	22	00
3748	9	00
3758	5	44
3760	8	00
3760	14	00
3760	6	75
3760	8	00
3760	19	50

to the corner of the
road 14 16

to the corner
Established
on the East
Side of the
Main Road
The line Between
Sec 11 & 14

T

Course from the corner
from the corner on the
range line between 13
2 m on the east side

344 m 9 50

374 m 13 00

376 m 12 50

355 m 12 00

324 m 17 50

35 m 10 50

35 E 9 00

313 E 7 50

317 E 15 00

317 E 5 72

310 E 34 00

355 m 14 00

To corner
of sec 1392

369 m 11 50

388 m 5 50

316 16 00

320 m 37 50

35 E 5 00

316 E 7 73

322 E 7 00

322 E 5 00

To corner
11812.1422
m

To corner
of sec 11814

✓

500

W

31- 5 Jan 108377
Aug 10 or 42
16


832 19/50

335 8/9

325 8/4 75

W 32 833 33 90
4077

Meanders of the Right Bank
of White River in
T4N-R2W.



Comp. with the original.

Meander of the East Fork of
White River from post in the N.
boundary of T4. N. R2 W. up right bank

N70 E	11.00	in Sec. 30, T4. N. R2 W.
N64 E	7.00	
N50 E	7.50	
N35 E	5.47	to line betw. Sec. 19 & 30

N16 E	6.50	in Sec. 19, T4. N. R2 W.
N13 W	5.00	
N32 W	16.75	
N40 W	14.50	
N47 W	5.50	
N46 W	10.55	to post on Range line

From post in Range line N. side 19.
N. side of bend.

N60 E	25.50	
-------	-------	--

T4 N. R2 W

Meander Continued

N85 E	16.75	
N87 E	10.00	
N81 E	5.75	
N49 E	7.50	
N29 E	10.50	
N15 W	5.00	
N44 W	30.00	
N36 W	8.00	a Spring
N36 W	13.50	
N40 W	9.50	
N39 W	5.00	to line betw. Sec. 7 & 18
N31 W	9.50	(a Spring) in Sec 7
N16 W	8.50	
N12 W	6.75	
N16 W	22.00	
N22 E	10.00	
N34 E	19.50	✓

T4 N. R2 W

Meander Continued

N55 E	13.60	
N77 E	6.50	
S60 E	10.50	
S57 E	9.50	
S61 E	6.50	a Brook 5 hrs. wide
S61 E	6.00	
S57 E	10.60	to line betw. Sec. 7 & 8
S60 E	19.00	in Sec. 8, T4 N. R2 W
S71 E	19.00	
S87 E	25.00	
N48 E	8.00	
N30 E	28.00	
N45 E	4.39	to line between Sec. 8 & 9
N25 E	7.00	in Sec 9
N28 E	16.50	line betw. Sec. 4 & 9

4th R2W

Meanders Continued

N28 E	3.80	in Sec. 4, 4th R2W
N49 E	9.00	
S60 E	12.50	
S32 E	4.62	line betw. Sec. 4 & 9
S34 E	19.00	in Sec. 9, 4th R2W
S24 E	12.70	
S35 E	6.00	a Brook 30 lbs. wide
S35 E	4.00	
S45 E	5.00	
S75 E	8.00	
N88 E	14.20	line between Sec. 9 & 10
N86 E	17.50	in Sec. 10, 4th R2W
S86 E	14.00	
East	17.00	
S79 E	11.50	✓

4th R2W

Meanders Continued

S62 E	12.00	
S15 E	9.00	
S5 E	11.50	
S11 E	12.93	line betw. Sec. 10 & 15
S15 E	10.00	in 15, 4th R2W
S11 E	6.80	line betw. Sec. 14 & 15
S16 E	17.50	in Sec. 14, 4th R2W
S33 E	22.50	
S50 E	15.50	
S78 E	5.00	
N71 E	21.00	
N2W	5.50	
N21W	10.50	
N29W	19.50	
N24W	6.00	✓

S4 N R2 W Meandering Contint

N32 W 14.25
N25 W 6.70 line between Sec. 11 & 14

N16 W 16.00 in Sec. 11

N6 E 12.00

N63 E 8.50

N86 E 26.50

N89 E 15.00

N79 E 5.50 line between Sec. 11 & 12

East 13.00 in Sec 12, S4 N. R2 W

N80 E 8.50

N62 E 10.00

N7 E 8.00

N9 W 33.45 line between Sec. 11 & 12

N10 W 6.50 (a Spring) in Sec 1.
✓

S4 N R2 W

Meandering Continued

N10 W 23.50 in Sec 1.

North 12.00 Rocky very high

N9 E 12.25

N29 E 18.50

N68 E 21.50

N80 E 7.50 - N. boundy. of S4 N. R2 W

N83 E 8.00

N69 E 6.00

N61 E 8.23 to post in Right bank
on the Range line
between Range 1 & 2 W

✓